Fish Oil, *Really*?

Content Primer

Ctroll through the vitamin **J**and health supplements aisle at the grocery or pharmacy and take a look at the fish oil capsules or other omega 3 fatty acid sources and vourself ask auestion. a "Where do these natural compounds come from?" The answer, as well as the impact on the environment, may be surprising.



Figure 1. Selection of fish oil supplements on grocery store shelf

Omega-3 fatty acids, popularly known as "fish oil"

are fats commonly found in marine animal, plant and algae sources. Since these specific fats are produced by algae in the marine environment they are, in fact, plant fats. Marine sources (fatty fish like salmon, mackerel and sardines and other seafood such as krill) provide eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), and plant sources like flax, walnuts, canola, and soybean oil provide α -linolenic acid (ALA).

Here is a brief description of each type of Omega 31:

DHA (22:6, n-3), a long chain omega-3 fatty acid, is the most abundant omega-3 in the brain and retina. It is also an important structural component of heart tissue and naturally found in breast milk.

EPA (20:5, n-3), a long chain omega-3 fatty acid, is important for human health. However, unlike DHA, EPA is not stored in significant levels in the brain and retina and is not considered a significant structural part of the body.

ALA (18:3, n-3), an essential fatty acid (EFA), is a shorter-chain omega-3 fatty acid that serves as a source of energy. It is also a precursor for EPA and DHA and is needed for skin health. Although EPA and DHA are made from ALA, this process is very inefficient in humans, especially in infants. Thus EPA and DHA must come from our food. Studies have shown that approximately 8% of dietary ALA is converted to EPA and 0-4% to DHA in healthy young men and around 21% of dietary ALA is converted to EPA

¹ http://www.lifesdha.com/what-is-dha/the-omega-3-facts.aspx



² http://lpi.oregonstate.edu/infocenter/othernuts/omega3fa/

Omega 3 chemistry

Omega 3's are polyunsaturated fatty acids with the double bond in the third carbon position from the methyl terminal (hence the use of "3" in their description).

How does this production happen? Omega 3s are produced as a part of photosynthesis in the Calvin cycle. So, instead of just manufacturing glucose and oxygen marine plants and algae produce this valuable commodity.

Omega-3 Polyunsaturated Fatty Acids Methyl end H₃C COOH Eicosapentaenoic acid (ALA; 18:3n-3) H₃C COOH Omega-6 Polyunsaturated Fatty Acids COOH H₃C Linoleic acid (18:2n-6) COOH COOH

Figure 2. Omega 3 & 6 Fatty Acid Structures

Other Fatty Acids

In addition to omega 3 fatty acids there are omega 6 and omega 9. Omega 6 fatty acids are represented by linoleic acid (LA). The typical American diet contains about 14-25 times more omega-6 fatty acids than omega-3 fatty acids³.

A healthy diet however contains a balance of omega 3 and omega 6 fatty acids. Our bodies are designed to work with nearly equal proportions of ω -3 and ω -6 because each family has specific functions that cannot be replaced by each other or other types of fats (http://www.undeerc.org/Search-Results.aspx?q=fatty%20acids). Omega 3 tends to reduce inflammation and omega 6 can promote inflammation. Most omega 6 in the diet comes from vegetable oils.

Omega 9 fatty acids are represented by oleic acid (OA) and are monounsaturated containing only one





Figure 3. (Top) Selection of vegetable oils on grocery store shelf
Figure 4. (Bottom): Selection of salad dressings on grocery store shelf

³ http://www.umm.edu/altmed/articles/omega-6-000317.htm

double bond. Omega 9 fatty acids are non-essential since they can be manufactured by the human body. Research indicates that supplemental Omega 9 in our diet confers health benefits. One excellent source is Olive Oil.

Table 1 below lists some Omega fatty acid food sources.

Table 1. Dietary Sources of Fatty Acids

Fatty Acid	Food Sources				
Omega-3 types					
EPA (eicosapentaenoic acid)	Fish, fish oils, marine sources				
DHA (docosahexaenoic acid)	Fish, fish oils, specialty egg/dairy products				
ALA (alpha-linolenic acid)	Flaxseed oil, canola oil and walnuts				
Omega-6 types					
LA (linoleic acid)	Avocados*, Vegetables oils (corn, safflower, soybean, sunflower)				
AA (arachidonic acid)	Meat, eggs				
Omega-9 types					
Oleic acid, Eurcic acid	Nuts (almonds, macadamia, hazelnuts, pecans), olive Olive oil, canola oil				

Figure 5. Dietary Sources of Fatty Acids. *Fatty acid ratio in an avocado is 1:7 comparing Omega 3/Omega 9:Omega 6. (http://www.avocado.org/)

EPA and DHA Contents of Oil from Marine Animals and Plants (g/100g oil)									
Biological Sources	EPA	DHA	EPA+DHA	Biological	EPA	DHA	EPA+DHA		
Ü				Ü					
Pacific Squid	12.2	39.4	51.6	Ribbonfish	5.8	14.4	20.2		
Cuttlefish	14.0	32.7	46.7	Mackerel	8.0	9.4	17.4		
Cod	16.5	29.5	46.0	Pacific saury	4.9	11.0	15.9		
Big eye tuna	3.9	37.0	40.9	Sea eel	4.1	16.5	20.6		
Spanish mackerel	8.4	31.1	39.5	Oyster	25.8	14.8	40.6		
Skipjack	10.4	26.5	36.9	Scallop	17.2	19.6	36.8		
Yellow fin tuna	5.1	26.5	31.6	Blood clam	23.1	13.5	36.6		
Shark	5.1	22.5	27.6	Razor clam	15.0	20.6	35.6		
Salmon	8.5	18.2	26.7	Hard clam	19.2	15.8	35.0		
Blue fin tuna	8.7	18.8	27.5	Clam	18.4	11.3	29.7		
Sardine	16.8	10.2	27.0	Swimming crab	15.6	12.2	27.8		
Japanese Mackerel	9.1	16.1	25.2	Prawn	14.6	11.2	25.8		
Yellow croaker	5.3	16.3	21.6	Chlorella	35.2	8.7	43.9		
Horse Mackerel	8.3	12.7	21.0	Spirulina	32.8	5.4	38.2		

Source: Comprehensive Utilization of Marine Bioresources (C. Liu, ed.), Chemistry Industry Press, Beijing, China. 2006.

Figure 6. EPA and DHA Contents of Oil from Marine Animals and Plants

Why Omega 3 fatty acids are an important issue

Omega 3 fatty acids are considered "essential" fatty acids: they are necessary for human health but can't be manufactured by the human body and need to be obtained through food. Like us, fish are in the same boat, they also lack the ability to produce omega 3 fatty acids.

Omega 3s claims as a defense against ailments are far and wide - from heart disease depression. Since 2006 the U.S. market for Omega 3 supplements has doubled.4 Omega 3 supplements have been added to a variety of food items from infant formula to breakfast cereals to eggs. The best source of Omega 3 is oily fish like salmon, mackerel and sardines.



Figure 6. School of menhaden, Baltimore Inner Harbor, July 2010. SONY HDR-XR500V in underwater housing.

The fish we come to think of the best sources of Omega 3 feed on a smaller fish lower on the food chain. These smaller fish, like the Atlantic menhaden, play a major role in the marine ecosystem. Menhaden are inedible by people because of their foul smell and many tiny bones. Menhaden and other fish like sardines and herring eat algae and zooplankton by swimming through the water with their mouth open and filtering out plankton with their gills. As a result their omega 3 contents get passed along the food chain to the larger fish that prey on

Fish Oil, really?

The fish that we come to think of as a dietary source of Omega 3 Fatty acids actually can't synthesize the Omega 3's; they obtain them from the food they eat in the marine environment.

menhaden. This process is known as bioaccumulation and is the reason that the consumption of fish is part of a healthy diet. In general, the higher a fish is on the food chain the higher its concentration of omega-3 fatty acids. Although the benefits of Omega 3 seem to be agreed upon there can be concerns. One problem is that fish high on the food chain may also contain risk levels of toxic substances such as mercury.

Omega 3s are an important issue not only for human health but also related to maintaining healthy marine ecosystems as you'll see in the following section.

⁴ http://www.time.com/time/magazine/article/0,9171,1953700,00.html

Overfishing

Widespread overfishing began in the mid-20th century, when efforts were made to increase fishing capacity. In 1989 about 90 million tons of catch were taken from the ocean and yields have declined since.⁵ Of the 600 marine fish stocks monitored by the Food and Agriculture Organization a full 7% are depleted. That means, "catches are well below historical values, irrespective of the amount of fishing effort extended".⁶ Menhaden populations have risen and fallen in the past 55⁷ years and scientists fear that they along with other small species of fish are being overfished for oil supplements. In fact, 13 of 15 Atlantic states have banned a fish oil company that catches 90% of the country's menhaden (see Figure 2).⁸ The concern is that there may not be a sustainable supply in the future if these types of fish are overharvested. Menhaden can be caught and processed cheaply. But how long will they be around if we keep catching them?

Montana Mon

Atlantic States Menhaden Fishing Ban

13 of the 15 Atlantic states have banned a fishing company that catches 90% of the country's menhaden

Figure 7. Map of Atlantic States Menhaden Fishing Ban⁸ Figure 7 (inset). Menhaden in pursed seine⁹

⁵ http://ocean.nationalgeographic.com/ocean/critical-issues-overfishing/

⁶ http://ocean.si.edu/ocean-photos/world-fish-stocks

⁷ http://www.mdsg.umd.edu/CQ/V10N23/index.html

⁸ http://www.nytimes.com/2009/12/16/opinion/16greenberg.html

⁹ http://www.oceansart.us/Free_Photos_MenhadenFishing/images/9.html

Sustainability

Are there sustainable ways of getting DHA & EPA Omega 3s? Contrary to popular belief, it is not necessary to eat fish to get these Omega 3s. There are other ways to get Omega 3s, "including the way the fish get them. They eat them. They get them with the plankton that they consume", says Oceanographer Silvia Earle.¹⁰

Again, since marine algae manufacture omega 3 then why not go to the source for supplements instead of grinding up fish valuable to the marine ecosystem? That is what some companies like Martek (http://www.lifesdha.com) and Deva (http://www.devanutrition.com) are doing by manufacturing DHA straight from the algae source itself and eliminating the need for capturing fish. These companies raise plankton in big tanks for DHA and some EPA production. Algae based supplements are rich in DHA and may be better than consuming other vegetarian supplements like flaxseed, canola and walnut oil that only provide ALA.

Research at the Institute of Marine and Environmental Technology (IMET) in Baltimore Maryland is also providing valuable evidence for sustainability as it applies to the field of aquaculture. One issue with aquaculture is that it requires as many fish to make fish meal (food) as are produced in an aquaculture system. This pressure on the marine environment places aquaculture on the fine line of sustainability. However, if the food used to feed the fish is vegetarian/algae sourced then the tables may be turned in favor of aquaculture production. IMET research scientists Dr. Allen Place and Aaron Watson (a Ph.D. candidate at IMET) have met this challenge by developing a food that is vegetarian/algae sourced with the addition of taurine thereby making a connection to producers in the marine food chain and eliminating the need for fish meal production. In addition the use of the foundation of the marine food chain in turn helps produce fish with healthier profiles for consumption by significantly decreasing the amount of other trace pollutants that can be found in high value predators like striped bass and cobia. For more information about this research read the article in the Baltimore Sun (Aug. 19 2012), http://articles.baltimoresun.com/2012-08-19/features/bs-gr-vegetarian-fish-meal-20120819 1 fish-oil-aquaculture-stripedbass.

So the next time you are on a trip to the grocery store, health food store, or other health supply outlet take the time to consider alternative options for fish oil supplements as well as other food sources that are high in Omega 3 and 9. Look for supplements that are produced from algae culture like those mentioned in the article and you can become a contributing member to fisheries sustainability. In the end, remember it's not fish oil in that capsule or delicious filet that you are going to have for dinner but omega 3 fatty acid manufactured from algae - Really.

_

¹⁰ http://www.npr.org/2012/04/20/151047262/exploring-the-deepest-darkest-spots-on-earth

Web References

Maryland Sea Grant: Video of purse seining for menhaden

http://www.mdsg.umd.edu/topics/menhaden/menhaden

Maryland Sea Grant's Chesapeake Quarterly, Volume 10, N. 2 & 3 -

Menhaden: A Test Case for New Fisheries Management http://www.mdsg.umd.edu/CQ/V10N23/index.html

Maryland Sea Grant's Marine Notes, Volume 18, Number 1

Menhaden Chanteys: An African American Maritime Legacy

http://www.mdsg.umd.edu/sites/default/files/files/MN18_1_MenhadenChanteys.PDF

Baltimore Sun, Advances in plant-based fish feed

http://www.baltimoresun.com/features/green/blog/bs-gr-vegetarian-fish-meal-20120819,0,4424338.story

National Geographic - The Impact of Seafood

http://ocean.nationalgeographic.com/ocean/take-action/impact-of-seafood/

National Geographic - 10 Things You Can Do to Save the Ocean

http://ocean.nationalgeographic.com/ocean/take-action/10-things-you-can-do-to-save-the-ocean/

University of Connecticut: Omega 3 Learning for Health and Medicine

http://www.omega3learning.uconn.edu/

University of Maryland Medical Center - Omega 6 fatty acids

http://www.umm.edu/altmed/articles/omega-6-000317.htm

Baltimore Sun, Repairing Aquaculture's Achilles' Heel

http://articles.baltimoresun.com/2012-08-19/features/bs-gr-vegetarian-fish-meal-20120819_1_fish-oil-aquaculture-striped-bass

University of Miami Health Systems

http://www.wellness.med.miami.edu/documents/Omega%203.6.9.pdf

University of Rhode Island Sea Grant

Greenwich Bay Project - Menhaden Life Cycle and Purse Seining

http://seagrant.gso.uri.edu/G_Bay/HabitatEco/Ecosystem/pogy.html

http://seagrant.gso.uri.edu/G Bay/HabitatEco/Ecosystem/purse seine.html

Gulf State Marine Fisheries Commission

http://menhaden.gsmfc.org

Rutgers University

http://andromeda.rutgers.edu/~hbf/menhaden.htm

Energy and Environmental Research Center

http://www.undeerc.org/Search-Results.aspx?q=fatty%20acids